

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 February 2003 (13.02.2003)

PCT

(10) International Publication Number
WO 03/011259 A1

(51) International Patent Classification⁷: **A61K 9/68**,
9/68, 47/38

(21) International Application Number: PCT/US02/21591

(22) International Filing Date: 9 July 2002 (09.07.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/682,164 30 July 2001 (30.07.2001) US
10/044,105 9 January 2002 (09.01.2002) US

(71) Applicant: **WM. WRIGLEY JR. COMPANY** [US/US];
410 North Michigan Avenue, Chicago, IL 60611 (US).

(72) Inventors: **CHAPDELAINE, Albert, H.**; 8 South Derby
Court, Naperville, IL 60453 (US). **ZYCK, Daniel**; 2458
South 6th Avenue, North Riverside, IL 60546 (US).
DZIJA, Michael, J.; 1435 Cleveland, LaGrange Park, IL
60526 (US).

(74) Agent: **NIMZ, Jack**; Wm. Wringley Jr. Company, 410
North Michigan Avenue, Chicago, IL 60611 (US).

(81) Designated States (*national*): AL, AM, AT, AU, AZ, BB,
BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB,
GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU,
LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO,
RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ,
VN.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: IMPROVED EDIBLE FILM FORMULATIONS CONTAINING MALTODEXTRIN

(57) Abstract: Improved edible films for mucoadhesion are provided. The films include at least three types film forming agents other than pullulan, such as maltodextrins, hydrocolloids and fillers. Preferably, the maltodextrin has a dextrose equivalent of less than 20. Medicaments and other additive agents can also be incorporated into the edible films. In this regard, the edible films can be utilized to deliver or release the medicaments into an oral cavity, thereby providing effective oral treatment with respect to, for example, oral cleansing and breath freshening.

WO 03/011259 A1

5

**“IMPROVED EDIBLE FILM FORMULATIONS
CONTAINING MALTODEXTRIN”**

This is a continuation-in-part of U.S. Patent Application Serial No.
10 09/682,164 filed on July 30, 2001, and entitled “Improved Edible Film Formulations
Containing Maltodextrin.”

BACKGROUND OF THE INVENTION

The present invention generally relates to edible compositions. More
15 specifically, the present invention relates to edible film formulations.

Of course, oral cleansing and breath freshening are an important part of
everyday life. In order to facilitate proper oral hygiene, oral cleansing and breath
freshening practices should be conducted repeatedly throughout the day.

However, oral cleansing and breath freshening may be difficult or
20 inconvenient at times, depending on the nature of the breath freshening desired and
the situation in which the breath freshening must occur. Brushing, flossing, cleaning
your tongue and gargling using a variety of devices and compositions are common
oral care practices well-suited for the privacy of one's home. But, such devices and
compositions are less convenient to use away from the home where bathroom
25 facilities might be scarce, unavailable or unsanitary.

To deal with this issue, less obtrusive oral products have been developed.
These include breath-freshening gums, lozenges, mouth sprays and edible films.

A number of different edible film compositions are currently available for
consumption. Many of the products use pullulan. However, pullulan is an
30 expensive ingredient and may have limited availability. Other edible materials have
been employed as a substitute for pullulan within edible film compositions. These
materials include modified starches and cellulose. Unfortunately, such materials
typically lack one or more of pullulan's desirable film properties. These properties

include, for example, rapid dissolution, clean mouth feel, clean flavor and ease of manufacture.

A need, therefore exists, for improved edible film formulations that exhibit the desirable film properties that are exhibited by pullulan-based edible films.

5

SUMMARY OF THE INVENTION

The present invention provides improved edible film formulations and methods of making and using same. The edible films include at least three types of film forming agents other than pullulan that are readily available and can be made at lower costs. In this regard, the mixture of film forming agents, such as maltodextrins, hydrocolloids and fillers, can be used to prepare "stand alone" films that can provide oral cleansing and breath freshening effects while displaying clean flavor and mouth feel, rapid dissolution and ease of manufacture. Medicaments and other additive agents can also be incorporated into the edible films thereby providing effective oral treatment, such as oral cleansing and breath freshening.

To this end, in an embodiment of the present invention, a stand alone edible film for oral mucoadhesion is provided. The stand alone edible film includes at least three types of film forming agents and not including pullulan.

In an embodiment, the film forming agents include a hydrolyzed starch, a hydrocolloid and a filler. The hydrolyzed starch has a dextrose equivalent of less than 20.

In another embodiment of the present invention, an edible film is provided including a maltodextrin, a hydrocolloid and a bulk filler and not including a pullulan. In an embodiment, the maltodextrin has a dextrose equivalent of up to 20.

In yet another embodiment, a method of producing an edible film for oral mucoadhesion is provided. The method includes the steps of preparing a base solution including at least three types of film forming agents other than pullulan and processing the base solution to form the edible film.

In still yet another embodiment, a method of oral treatment is provided. The method includes the steps of providing a food-grade film including at least three types of film forming agents and a medicament; orally consuming the food-grade film and releasing the medicament in an oral cavity.

5 It is, therefore, an advantage of the present invention to provide edible films for mucoadhesion that include at least three types of film forming agents other than pullulan.

Another advantage of the present invention is to provide edible films that include a medicament for cleansing an oral cavity and freshening breath upon
10 consumption.

A further advantage of the present invention is to provide a method for delivering the medicament into an oral cavity for treating same.

Yet a still further advantage of the present invention is to provide a method for oral treatment that utilizes edible film formulations which can effectively release
15 a medicament in the oral cavity upon consumption.

Moreover, an advantage of the present invention is to provide a stand alone film.

Additional features and advantages of the present invention are described in, and will be apparent in, the detailed description of the presently preferred
20 embodiments.

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

The present invention provides edible film formulations for oral
25 mucoadhesion and methods of using and making same. In particular, the edible films of the present invention include at least three types of film forming agents other than pullulan.

Applicants have uniquely discovered that the use of a mixture of at least three types of film forming agents, such as maltodextrins, fillers (e.g.,
30 microcrystalline cellulose (MCC)) and hydrocolloids (e.g., sodium alginate), can be

In still yet another embodiment, a method of oral treatment is provided. The method includes the steps of providing a food-grade film including at least three types of film forming agents and a medicament; orally consuming the food-grade film and releasing the medicament in an oral cavity.

5 It is, therefore, an advantage of the present invention to provide edible films for mucoadhesion that include at least three types of film forming agents other than pullulan.

Another advantage of the present invention is to provide edible films that include a medicament for cleansing an oral cavity and freshening breath upon
10 consumption.

A further advantage of the present invention is to provide a method for delivering the medicament into an oral cavity for treating same.

Yet a still further advantage of the present invention is to provide a method for oral treatment that utilizes edible film formulations which can effectively release
15 a medicament in the oral cavity upon consumption.

Moreover, an advantage of the present invention is to provide a stand alone film.

Additional features and advantages of the present invention are described in, and will be apparent in, the detailed description of the presently preferred
20 embodiments.

DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

The present invention provides edible film formulations for oral
25 mucoadhesion and methods of using and making same. In particular, the edible films of the present invention include at least three types of film forming agents other than pullulan.

Applicants have uniquely discovered that the use of a mixture of at least three types of film forming agents, such as maltodextrins, fillers (e.g.,
30 microcrystalline cellulose (MCC)) and hydrocolloids (e.g., sodium alginate), can be

effectively utilized to prepare "stand alone" edible films. The edible films are composed of ingredients that are readily available, can be prepared at lower costs and display similar properties as compared to edible films composed of pullulan. In this regard, the edible films can provide a physiologically acceptable film, which is
5 suitably adapted to adhere to oral surfaces of an oral cavity and rapidly dissolve therein.

The edible films of the present invention can be utilized to deliver or release oral care agent(s). Such agents include, anti-microbial agents and salivary stimulants to treat, for example, halitosis, dental plaque, gingivitis, xerostomia, dry
10 mouth, like oral conditions or combinations thereof. Further, the oral care edible film can act as a breath freshener effective against malodor.

The oral cleansing and breath freshening effects of the edible film of the present invention can be achieved by entrapping the oral care agents within the oral cavity to provide extended efficacy. In this regard, the highly dissolvable edible
15 film can act as a medium through which a pharmaceutically active oral agent can be administered via a mucous membrane of the oral cavity.

In an embodiment, the edible or food-grade film of the present invention includes at least three types of film forming agents other than pullulan. The edible films can also include a medicament for oral cleansing and/or breath freshening.
20 Further, the edible films can include a variety of other suitable ingredients, such as softeners, colorants, flavoring agents, emulsifiers, surfactants, thickening agents, binding agents, sweeteners, fragrances, other like ingredients or combinations thereof.

In an embodiment, the edible films preferably include a mixture of at least
25 three types of film forming agents, such as maltodextrins, fillers and hydrocolloids. It should be appreciated that the edible film of the present invention can be composed of one or more different compounds associated with each of the at least three types of film forming agents.

Maltodextrins belong to a category of chemical products known as "starch
30 hydrolysates." Manufacturers produce starch hydrolysates by putting starch through a hydrolysis, a chemical reaction with water. Hydrolysis breaks down the starch and

converts some of the starch to dextrose. With adjustments, this process yields more or less dextrose.

Maltodextrins are therefore classified by dextrose equivalence or DE. Dextrose equivalents are a measure of the reducing sugars present calculated as dextrose and expressed as a percentage of the total dry substance. Maltodextrins can
5 have a dextrose equivalent of up to 20. At above 20 DE, the product is then classified as corn syrup solids, is completely soluble, and therefore imparts significant sweetness.

Maltodextrins having lower DE values generally offer higher viscosity and
10 better film formation while higher DE values yield more sweetness, solubility, plasticity, and hygroscopicity. Further, for the purposes of this invention, lower DE values offer several processing advantages over higher DE values. Lower DE values improves flexibility of the film which reduces cracking and flaking during slitting and cutting. Being less hygroscopic, lower DE maltodextrins pick up less moisture
15 during slitting and cutting, helping to prevent blocking during shelf life.

In an embodiment, the maltodextrin has a DE of less than 20. In another embodiment, the maltodextrin has a DE of less than or equal to 10. In a further embodiment, the maltodextrin has a DE of 1 or less.

In an embodiment, maltodextrin having a DE of less than 20, constitutes
20 between 5% to about 60% by dry weight, or 20% to about 40% by dry weight of the edible film. Maltodextrins can be derived from several different cereal sources, corn (waxy and common), followed by potato, rice and tapioca.

The hydrocolloid can provide thickness and decrease brittleness of the edible films. The hydrocolloid can include any suitable type, amount and number of
25 hydrocolloids. In an embodiment, the hydrocolloid can constitute between about 10% to about 50% by dry weight of the edible film, preferably about 30% to about 40% by dry weight. The hydrocolloid can be derived from, for example, natural seaweeds, natural seed gum, natural plant exudates, natural fiber extracts, biosynthetic gums, gelatins, biosynthetic process starch or cellulosic materials,
30 alginates, sodium alginate, calcium alginate, carrageenans, guar gum, locust gum,

tara gum, gum arabic, ghatti gum, agar gum, xanthan gum, pectin, other like hydrocolloid source material or combinations thereof.

Any suitable food-grade bulk filler can also be added to the edible film. This can reduce any "slimy" texture as well as provide structure to the film thereby making it more palatable. In an embodiment, the filler can constitute about 1% to about 30% by dry weight of the film, preferably about 5% to about 15% by dry weight. The filler can include, for example, microcrystalline cellulose, cellulose polymers, such as wood, magnesium and calcium carbonate, ground limestone, silicates, such as magnesium and aluminum silicate, clay, talc, titanium dioxide, mono-calcium phosphate, di-calcium phosphate, tri-calcium phosphate, other like bulk fillers or combinations thereof.

It is believed that the unique mixture of at least three film forming agents other than pullulan, for example, a maltodextrin, a hydrocolloid and a bulk filler, can provide a "stand alone" edible film composition which exhibits many of the same desirable properties exhibited by the more expensive pullulan-based edible film. Applicants have desirably discovered that the pullulan-free edible film formulation of the present invention can exhibit, for example, clean mouth feel, clean favor and ease of manufacture similar to currently available pullulan-based films.

As previously discussed, a variety of other suitable ingredients can be added to the edible film of the present invention. For example, any suitable medicament for oral cleansing, breath freshening or the like can be added to the film formulation. The medicaments can include, for example, a pH control agent, such as urea and buffers, inorganic components for tartar or caries control, such as phosphates and fluorides, a breath freshening agent, such as zinc gluconate, an anti-plaque/anti-gingivitis agent, such as chlorohexidine, CPC, and triclosan, a saliva stimulating agent including, for example, food acids such as citric, lactic, maleic, succinic, ascorbic, adipic, fumaric and tartaric acids, a pharmaceutical agent, a nutraceutical agent, a vitamin, a mineral, other like medicaments or combinations thereof.

The medicaments can be delivered or released into the oral cavity for effective oral treatment, such as oral cleansing and/or breath freshening. In this regard, the film forming agents of the edible film can act to entrap the medicaments within the oral cavity thereby providing extended efficacy thereof. In doing so, it is

grade non-ionic emulsifiers, such as fatty acids (C₁₀-C₁₈), mono and diacyl glycerides, ox bile extract, polyglycerol esters, polyethylene sorbitan esters, propylene glycol, sorbitan monopalmitate, sorbitan monostearate, sorbitan tristearate, other like emulsifiers or combinations thereof.

- 5 The flavors can be emulsified by any suitable emulsification process, such as mechanical processing, vigorous stirring, intense pressure fluctuations that occur in turbulent flow such as homogenization, sonication, colloid milling and the like.

 The present invention provides methods of producing the edible film formulations. In general, the edible film formulations are prepared by forming a
10 base solution that includes at least three types of film forming agents, such as maltodextrins, hydrocolloids and fillers and processing the base solution to form an edible film. Typically, the base solution is prepared by adding an initial mixture of dry ingredients to water that is stirred.

 To the base solution, additional ingredients, such as flavor/emulsifier blends,
15 sweeteners, softeners, color, the like or combinations thereof, can be added. In an embodiment, the solution is stirred continuously and heated at a temperature ranging from about 40°C to about 50°C. The solution then can be dried in any suitable manner, thereby, forming the edible film.

 It should be appreciated that any suitable type, number and arrangement of
20 process procedures or steps (i.e., mixing, heating, drying, cooling, addition of ingredients), process parameters (i.e., temperature, pressure, pH, process times) or the like can be utilized.

 By way of example and not limitation, the following examples illustrate various embodiments of the edible film formulations of the present invention.

EXAMPLES**(% dry weight)**

Ingredient	Example 1	Example 2	Example 3	Example 4	Example 5
Maltodextrin	36.00	32.45	31.15	30.00	37.00
Sodium Alginate	22.15	20.00	19.00	31.15	--
Carageenan	--	--	--	--	23.15
Microcrystalline Cellulose	20.00	18.00	17.00	17.00	18.00
Gum Arabic	--	--	11.00	--	--
Glycerin	7.30	15.00	7.30	7.30	7.30
Flavor	11.00	11.00	11.00	11.00	11.00
Lecithin	2.00	2.00	2.00	2.00	2.00
High Intensity Sweetener	1.50	1.50	1.50	1.50	1.50
Color	0.05	0.05	0.05	0.05	0.05
	100.00	100.00	100.00	100.00	100.00

5

(% dry weight)

Ingredient	Example 6	Example 7	Example 8	Example 9	Example 10
Maltodextrin	25.95	50.00	35.00	43.00	26.00
Sodium Alginate	22.50	--	19.00	--	12.00
Calcium Alginate	--	15.15	--	13.25	--
Carageenan	--	--	--	--	12.00
Microcrystalline Cellulose	25.75	9.00	20.00	13.00	25.00
Calcium Carbonate	--	2.45	--	--	--
Glycerin	12.25	10.00	8.00	--	9.5
Sorbitol	--	--	--	6.00	1.55
Popylene Glycol	--	--	3.65	5.00	--
Menthol	1.00	0.05	--	1.25	--
Eucalyptol	--	0.05	--	1.00	--
Maleic Acid	--	--	--	--	1.35
Citric Acid	--	--	1.25	--	1.00
Chlorohexidene	1.85	--	--	1.00	--
Triclosan	--	1.25	--	1.00	--
Flavor	9.40	11.00	12.00	14.00	10.00
High Intensity Sweetener	1.25	1.00	1.05	1.45	1.50
Color	0.05	0.05	0.05	0.05	0.10
	100.00	100.00	100.00	100.00	100.00

EXAMPLES**(% dry weight)**

Ingredient	Example 11	Example 12	Example 13	Example 14	Example 15
Star-Dri® 1 Maltodextrin	30.00	--	--	29.00	22.00
Star-Dri® 10 Maltodextrin	--	30.00	29.00	--	--
Sodium Alginate	27.08	27.08	25.30	25.30	9.00
Carageenan	5.22	5.22	9.00	9.00	10.00
Microcrystalline Cellulose	10.00	10.00	7.00	7.00	3.30
Glycerin	4.00	4.00	7.70	7.70	3.00
Flavor	8.90	8.90	9.00	9.00	10.92
Hydroxylated Lecithin	1.00	1.00	--	--	2.00
Lecithin	--	--	1.50	1.50	--
High Intensity Sweetener	1.50	1.50	1.10	1.10	2.00
Color	0.30	0.30	0.40	0.40	0.40
Water	10.00	10.00	10.00	10.00	5.00
Total	100.00	100.00	100.00	100.00	100.00

* Star-Dri® is a product of the Staley Corporation. Both maltodextrins are derived
5 from waxy corn.

(% dry weight)

Ingredient	Example 16	Example 17	Example 18	Example 19	Example 20
Maltrin® M050 (4-7 DE)	25.00	--	--	--	20.00
N-Zorbit® M	--	32.45	--	20.50	20.00
Star-Dri® 10 Maltodextrin (10 DE)	--	--	42.95	12.50	--
Sodium Alginate	15.00	20.00	--	--	--
Calcium Alginate	15.00	--	11.00	--	17.00
Carageenan	--	--	12.00	15.00	19.00
Microcrystalline Cellulose	23.00	20.00	11.00	18.00	--
Gum Arabic	--	--	--	5.00	--
Calcium Carbonate	--	--	1.50	--	8.00
Glycerin	8.00	12.00	--	10.00	4.50
Sorbitol	--	--	1.50	--	--
Propylene Glycol	--	--	5.00	--	--
Menthol	1.00	0.05	--	2.00	--
Eucalyptol	--	1.45	--	0.60	2.50
Maleic Acid	--	--	1.00	--	--
Citric Acid	1.00	--	1.00	--	--
Chlorohexidene	--	1.50	--	1.00	--
Triclosan	--	--	--	1.00	1.00
Flavor	10.00	11.00	12.00	13.00	6.00
High Intensity Sweetener	2.00	1.50	1.00	1.40	2.00
Color	--	0.05	0.05	0.05	--
	100.00	100.00	100.00	100.00	100.00

* Maltrin® is a product of the Grain Processing Corporation. It is derived from dent corn.

* N-Zorbit® is a product of National Starch and Chemical. It is derived from tapioca starch.

5

PREPARATION OF EXAMPLES 1-5

Examples 1-5 were prepared by making edible films from maltodextrin. A mixture of dry ingredients, such as maltodextrin, sodium alginate and
10 microcrystalline cellulose, was slowly added to water while stirring. The solution was continually stirred and heated to boiling. After which, it was removed from the heat and cooled to a temperature of about 35°C to about 40°C. The other ingredients, such as flavor/emulsifier blends, sweeteners, softeners and color, were added to the solution while stirring and at a temperature of about 35°C to about
15 40°C. The solution was spread onto a glass plate by utilizing a draw down blade. A film was formed on the glass plate by drying the solution in an oven for about 15 minutes at 40°C. After which, the film was removed from the plate and cut into desired pieces.

The edible films of Examples 1-5 were compared for sensory analysis. All
20 of the films exhibited differences in texture and mouth feel. Example 1 provided good mouth feel, clean flavor, fast dissolution and flexibility. In comparison, Example 2 had good flexibility, but was found to be too sticky to handle. In Example 3, the addition of gum arabic showed no improvement in flexibility. Example 4 was slightly slimy and showed no improvement in flexibility. Example 5
25 was slimy, slow to dissolve, yet sufficiently flexible.

PREPARATION OF EXAMPLES 11-15

Examples 11-15 were prepared by making edible films from maltodextrin. A mixture of dry ingredients, such as maltodextrin and sodium alginate, was slowly added to water while stirring. The solution was continually stirred and heated. The
5 other ingredients, such as flavor/emulsifier blends, sweeteners, softeners and color, were added to the maltodextrin/alginate solution while stirring and at a temperature of about 50°C to about 60°C. The solution was spread onto a glass plate by utilizing a draw down blade. A film was formed on the glass plate by drying the solution in an oven for about 15 minutes at 50°C. After which, the film was removed from the
10 plate and cut into desired pieces.

Benchmark sensory analysis of Examples 11-15 demonstrated comparable sensory properties. Analysis also determined that while having similar sensory profiles, the 1 DE maltodextrin film offered several processing advantages over 10 DE maltodextrin film. The 1 DE film improved the flexibility of the film, which
15 reduced cracking and flaking during slitting and cutting. Since lower DE maltodextrins are less hygroscopic, the 1 DE film picked up less moisture during slitting and cutting which helped prevent blocking during shelf life. Overall, the lower DE maltodextrin films provided better film-forming capabilities than maltodextrin films with higher DE's.

20 It should be understood that various changes and modifications of the presently preferred embodiments described herein will be apparent to those skilled in the art. Such changes and modifications can be made without departing from the spirit and scope of the present invention and without diminishing its intended advantages. It is therefore intended that all such changes and modifications be
25 covered by the appended claims.

WE CLAIM:

1. A stand alone edible film for oral mucoadhesion comprising at least three types of film forming agents and not including pullulan.
2. The stand alone edible film of claim 1 wherein the film forming agents comprise a maltodextrin, a hydrocolloid and a filler.
3. The stand alone edible film of claim 2 wherein the maltodextrin comprises about 5% to about 60% by dry weight of the stand alone edible film.
4. The stand alone edible film of claim 2 wherein the maltodextrin has a dextrose equivalent of less than 20.
5. The stand alone edible film of claim 2 wherein the maltodextrin has a dextrose equivalent of 10 or less.
6. The stand alone edible film of claim 2 wherein the maltodextrin has a dextrose equivalent of 1 or less.
7. The stand alone edible film of claim 2 wherein the filler comprises about 1% to about 30% by dry weight of the stand alone edible film.
8. The stand alone edible film of claim 7 wherein the filler is selected from the group consisting of microcrystalline cellulose, cellulose polymers including wood, magnesium and calcium carbonate, ground limestone, silicates including magnesium and aluminum silicate, clay, talc, titanium dioxide, mono-calcium phosphate, di-calcium phosphate, tri-calcium phosphate and combinations thereof.
9. The stand alone edible film of claim 2 wherein the hydrocolloid further comprises about 10% to about 50% by dry weight of the stand alone edible film.
10. The stand alone edible film of claim 9 wherein the hydrocolloid is selected from the group consisting of natural seaweeds, natural seed gums, natural plant exudates, natural fiber extracts, biosynthetic gums, gelatins, biosynthetic processed starch or cellulosic materials, alginates, sodium alginate, calcium alginate, carrageenan, guar gum, locust gum, tara gum, gum arabic, ghatti gum, agar gum, xanthan gum, pectin and combinations thereof.

11. The stand alone edible film of claim 1 wherein the stand alone edible film includes a medicament.

12. The stand alone edible film of claim 11 wherein the medicament is selected from the group consisting of a pH control agent, an oral care agent, a breath
5 freshening agent, a pharmaceutical agent, a nutraceutical agent, a salivary stimulant agent, a vitamin, a mineral, an anti-microbial agent, an anti-plaque agent, an anti-gingivitis agent, a tartar or caries control agent and combinations thereof.

13. An edible film comprising a maltodextrin, a hydrocolloid and a bulk filler and not including a pullulan.

10 14. The edible film of claim 13 wherein the maltodextrin has a dextrose equivalent of less than 20.

15. The edible film of claim 13 wherein the maltodextrin has a dextrose equivalent of 10 or less.

15 16. The edible film of claim 13 wherein the maltodextrin has a dextrose equivalent of 1 or less.

17. The edible film of claim 13 wherein the maltodextrin constitutes about 20% to about 40% by dry weight of the edible film.

18. The edible film of claim 13 wherein the hydrocolloid constitutes about 30% to about 40% by dry weight of the edible film.

20 19. The edible film of claim 13 wherein the bulk filler comprises about 1% to about 30% by dry weight of the edible film.

20. An edible film comprising 5% to 60% by weight maltodextrin having a dextrose equivalent of less than 20, a hydrocolloid and a bulk filler not including pullulan.

25 21. The edible film of claim 20 wherein the maltodextrin constitutes about 20% to about 40% by dry weight of the edible film.

22. The edible film of claim 20 wherein the hydrocolloid constitutes about 30% to about 40% by dry weight of the edible film.

23. The edible film of claim 20 wherein the bulk filler comprises about 1% to about 30% by dry weight of the edible film.

24. The edible film of claim 20 wherein the maltodextrin has a dextrose equivalent of 10 or less.

5 25. The edible film of claim 20 wherein the maltodextrin has a dextrose equivalent of 1 or less.

26. A method of producing an edible film for oral mucoadhesion comprising the steps of:

preparing a base solution including at least three types of film
10 forming agents other than pullulan; and
processing the base solution to form the edible film.

27. The method of claim 26 wherein the film forming agents comprise a maltodextrin ranging from about 5% to about 60% by dry weight of the edible film, a hydrocolloid ranging from about 10% to about 50% by dry weight of the edible
15 film and a filler ranging from about 1% to about 30% by dry weight of the edible film.

28. The method of claim 26 wherein the maltodextrin has a dextrose equivalent of less than 20.

29. The method of claim 26 wherein the base solution is processed by
20 adding a therapeutically effective amount of a medicament selected from the group consisting of a pH control agent, an oral care agent, a breath freshening agent, a pharmaceutical agent, a nutraceutical agent, a salivary stimulant agent, a vitamin, a mineral, an anti-microbial agent, an anti-plaque agent, an anti-gingivitis agent, a tartar or caries control agent and combinations thereof.

25 30. A method of oral treatment comprising the steps of:
providing a food-grade film including at least three types of film
forming agents and a medicament;

orally consuming the food-grade film; and
releasing the medicament in an oral cavity.

31. The method of claim 30 wherein the film forming agents comprise a maltodextrin ranging from 5% to about 60% by dry weight of the edible film, a
5 hydrocolloid ranging from about 10% to about 50% by dry weight of the edible film and a filler ranging from about 1% to about 30% by dry weight of the edible film.

32. The method of claim 31 wherein the maltodextrin has a dextrose equivalent of less than 20.

33. The method of claim 30, wherein the medicament is selected from the
10 group consisting of a pH control agent, an oral care agent, a breath freshening agent, a pharmaceutical agent, a nutraceutical agent, a salivary stimulant agent, a vitamin, a mineral, an anti-microbial agent, an anti-plaque agent, an anti-gingivitis agent, a tartar or caries control agent or combinations thereof.

34. The method of claim 30, wherein the medicament is released in the
15 oral cavity to treat halitosis, dental plaque, gingivitis, xerostomia, dry mouth, oral malodor or combinations thereof.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/21591

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A61K 9/28, 9/68, 47/38

US CL : 424/439, 440, 441

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/439, 440, 441

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,679,389 A (WONG et al) 21 October 1997, see Abstract, column 4, line 61; column 5, lines 36-45; column 8, lines 55-65.	1, 2, and 26



Further documents are listed in the continuation of Box C.



See patent family annex.

"	Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A"	document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E"	earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date in another citation or other special reason (as specified)	"Z"	document member of the same patent family
"O"	document referring to an oral disclosure, use, exhibition or other means		
"P"	document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

12 SEPTEMBER 2002

Date of mailing of the international search report

04 DEC 2002

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

CARLOS AZPURU

Telephone No. (703) 308-1235